

Comparative statement for RWSS materials for FY 2018-2019

Sl/NO.	DESCRIPTION	DETAILED SPECIFICATION	UNIT	K.Norkhel Supplies, P/kha	Sangay sales, Thimphu	Remarks
1	PVC Vent pipe 110mm-6kg/cm2,	3m log	mtr	191	525	
2	4" GI pipe, Medium duty	Length 6.00m,. Tolerance +15cm & -0cm.	mtr	1040	1138	
3	3" GI pipe, Medium duty	Length 6.00m,. Tolerance +15cm & -0cm.	mtr	700	801	
4	2" GI pipe, Medium duty	Length 6.00m,. Tolerance +15cm & -0cm.	mtr	421	500	
5	1 1/2" GI pipe, Medium duty	Length 6.00m,. Tolerance +15cm & -0cm.	mtr	317	400	
6	1" GI pipe, Medium duty	Length 6.00m,. Tolerance +15cm & -0cm.	mtr	210	265	
7	1/2" GI pipe, Medium duty	Length 6.00m,. Tolerance +15cm & -0cm.	mtr	134	170	
8	110 mm x 4 " Flange set	IS 4984/87	each	1246	621	
9	90 mm x 3" Flange set	IS 4984/87	each	765	492	
10	63 mm x 2 " Flange set	IS 4984/87	each	545		
11	50 mm x 1 1/2 " Flange set	IS 4984/87	each	385	337	
12	Brass Union, 63 mm x 2"	SP-57-1991	each	840	970	
13	Brass Union, 50 mm x 1 1/2"	SP-57-1991	each	750	875	
14	Brass Union, 32 mm x 1"	SP-57-1991	each	430	457	
15	Brass Union, 20 mm x 1/2"	SP-57-1991	each	210	229	
16	4 " x 30° GI Bend	IS 1879:1987	each		729	
17	4 " x 45° GI Bend	IS 1879:1987	each		729	
18	3 " x 45° GI Bend	IS 1879:1987	each		526	
19	3 " x 30° GI Bend	IS 1879:1987	each		526	
20	2 " x 45° GI Bend	IS 1879:1987	each		243	
21	2 " x 30° GI Bend	IS 1879:1987	each		243	
22	2 " x 90° GI Bend	IS 1879:1987	each		243	
23	1 1/2 " x 30° GI Bend	IS 1879:1987	each		110	
24	1 1/2 " x 45° GI Bend	IS 1879:1987	each		110	
25	3 " x 90° GI Bend	IS 1879:1987	each		526	
26	1 1/2 " x 90° GI Bend	IS 1879:1987	each		110	
27	4 " GI Elbow	IS 1879:1987	each	799	1087	
28	3 " GI Elbow	IS 1879:1987	each	463	565	

SI/NO.	DESCRIPTION	DETAILED SPECIFICATION	UNIT	K.Norkhel Supplies, P/kha	Sangay sales, Thimphu	Remarks
29	2 " GI Elbow	IS 1879:1987	each	175	269	
30	1 1/2 " GI Elbow	IS 1879:1987	each	115	147	
31	1" GI Elbow	IS 1879:1987	each	52	72	
32	1/2 " GI Elbow	IS 1879:1987	each	19	33	
33	4 " GI Nipple	Length is 10 cm Tolerance +0 cm, -2 cm, IS 1879:1987	each	168	116	
34	3 " GI Nipple	Length is 10 cm Tolerance +0 cm, -2 cm, IS 1879:1987	each	116	81	
35	2 " GI Nipple	Length is 10 cm Tolerance +0 cm, -2 cm, IS 1879:1987	each	72	56	
36	1 1/2 " GI Nipple	Length is 10 cm Tolerance +0 cm, -2 cm, IS 1879:1987	each	58	44	
37	1 " GI Nipple	Length is 10 cm Tolerance +0 cm, -2 cm, IS 1879:1987	each	24	28	
38	1/2 " GI Nipple	Length is 10 cm Tolerance +0 cm, -2 cm, IS 1879:1987	each	17	20	
39	4" x 3" GI Reducers	IS 1879:1987	each	530	610	
40	3" x 2" GI Reducers	IS 1879:1987	each	312	346	
41	2" x 1 1/2" GI Reducers	IS 1879:1987	each	127	162	
42	1 1/2" x 1" GI Reducers	IS 1879:1987	each	85	109	
43	1 1/2" x 1/2" GI Reducers	IS 1879:1987	each	85	109	
44	1" x 1/2" GI Reducers	IS 1879:1987	each	40	60	
45	4 " GI Sockets	IS 1879:1987	each	530	610	
46	3 " GI Sockets	IS 1879:1987	each	312	346	
47	2 " GI Sockets	IS 1879:1987	each	127	162	
48	1 1/2 " GI Sockets	IS 1879:1987	each	85	109	
49	1 " GI Sockets	IS 1879:1987	each	40	60	
50	1/2 " GI Sockets	IS 1879:1987	each	19	26	
51	4 " GI Tee's equal	IS 1879:1987	each	1065	1262	
52	3 " GI Tee's equal	IS 1879:1987	each	565	732	

SI/NO.	DESCRIPTION	DETAILED SPECIFICATION	UNIT	K.Norkhel Supplies, P/kha	Sangay sales, Thimphu	Remarks
53	2 " GI Tee's equal	IS 1879:1987	each	260	347	
54	1 1/2 " GI Tee's equal	IS 1879:1987	each	158	213	
55	1 " GI Tee's equal	IS 1879:1987	each	74	96	
56	1/2 " GI Tee's equal	IS 1879:1987	each	34	43	
57	4 " x 4 " x 3/4 " GI Tee's unequal	IS 1879:1987	each	1065	1262	
58	4 " x 4 " x 1/2 " GI Tee's unequal	IS 1879:1987	each	1065	1262	
59	3 " x 3 " x 3/4 " GI Tee's unequal	IS 1879:1987	each	565	732	
60	3 " x 3 " x 1/2 " GI Tee's unequal	IS 1879:1987	each	565	732	
61	2 " x 2 " x 3/4 " GI Tee's unequal	IS 1879:1987	each	260	347	
62	2 " x 2 " x 1/2 " GI Tee's unequal	IS 1879:1987	each	260	347	
63	1 1/2 " x 1 1/2 " x 3/4 " GI Tee's unequal	IS 1879:1987	each	158	213	
64	1 1/2 " x 1 1/2 " x 1/2 " GI Tee's unequal	IS 1879:1987	each	158	213	
65	1 " x 1 " x 3/4 " GI Tee's unequal	IS 1879:1987	each	74	96	
66	1 " x 1 " x 1/2 " GI Tee's unequal	IS 1879:1987	each	74	96	
67	4 " GI Unions	IS 1879:1987	each	1325	1487	
68	3 " GI Unions	IS 1879:1987	each	930	962	
69	2 " GI Unions	IS 1879:1987	each	330	397	
70	1 1/2 " GI Unions	IS 1879:1987	each	230	307	
71	1 " GI Unions	IS 1879:1987	each	130	176	
72	1/2 " GI Unions	IS 1879:1987	each	58	78	
73	4" - Brass Gate Valve	Class I, 1.5 MPa IS 778-84	each	6945	11623	
74	3" - Brass Gate Valve	Class I, 1.5 MPa IS 778-84	each	3435	6196	
75	2" - Brass Gate Valve	Class I, 1.5 MPa IS 778-84	each	1645	2490	
76	1 1/2" - Brass Gate Valve	Class I, 1.5 MPa IS 778-84	each	1145	1553	
77	1" - Brass Gate Valve	Class I, 1.5 MPa IS 778-84	each	630	811	
78	1" - Brass Globe Valve	Class I, 1.5 MPa IS 778-84	each	640	841	
79	1/2" - Brass Globe Valve	Class I, 1.5 MPa IS 778-84	each	550	433	
80	1 1/2" - Brass Globe Valve	Class I, 1.5 MPa IS 778-84	each	1177	1887	

SI/NO.	DESCRIPTION	DETAILED SPECIFICATION	UNIT	K.Norkhel Supplies, P/kha	Sangay sales, Thimphu	Remarks
81	1/2" - Tapstand Regulating Valve set	<i>Class I, 1.5 MPa IS 778-84</i>	each	375	454	
82	Regulating valve key	<i>As per PHE sample and drawing</i>	each	75		
83	Air release Valve 1/2"	<i>Heavy duty 450 gram Brass, Male threading IS-781. With spare washerset.</i>	each	1350		
84	Brass tap 1/2"	<i>Heavy duty</i>	each	365	403	
85	Jayson tap 1/2 "/wnt 1/2"		each			
86	2" Float Valve.	<i>Copper or brass made. Min. wt ... +20gms, -0gm See attached PHED drawing for detail specification.</i>	each	3365	5185	
87	1 1/2" Float Valve	<i>Copper or brass made. Min. wt ... +20gms, -0gm See attached PHED drawing for detail specification.</i>	each	2690	3655	
88	1" Float Valve	<i>Copper or brass made. Min. wt ... +20gms, -0gm See attached PHED drawing for detail specification.</i>	each	1650	1827	
89	1/2" Float Valve	<i>Copper or brass made. Min. wt ... +20gms, -0gm See attached PHED drawing for detail specification.</i>	each	1450	1445	
90	4" Valve box with endcap	<i>GI pipe of medium duty. Burrs removed, cutted edges smoothened with file or grinder, GI-threaded is clean, smooth and greased. Endcap and pipe screwed together. As per PHE non-standard drawing and sample</i>	each	1450		
91	3" Valve box with endcap	<i>GI pipe of medium duty. Burrs removed, cutted edges smoothened with file or grinder, GI-threaded is clean, smooth and greased. Endcap and pipe screwed together. As per PHE non-standard drawing and sample</i>	each	1200		

SI/NO.	DESCRIPTION	DETAILED SPECIFICATION	UNIT	K.Norkhel Supplies, P/kha	Sangay sales, Thimphu	Remarks
92	2 1/2" Valve box with endcap	<i>GI pipe of medium duty. Burrs removed, cutted edges smoothened with file or grinder, GI-threaded is clean, smooth and greased. Endcap and pipe screwed together. As per PHE non-standard drawing and sample</i>	each	1300		
93	2" Valve box with endcap	<i>GI pipe of medium duty. Burrs removed, cutted edges smoothened with file or grinder, GI-threaded is clean, smooth and greased. Endcap and pipe screwed together. As per PHE non-standard drawing and sample</i>	each	1250		
94	2" Valve box key with 3 points	<i>As per PHE sample and drawing</i>	each	250		
95	1 1/2" Valve box key with 3 points	<i>As per PHE sample and drawing</i>	each	250		
96	1" Valve box key with 3 points	<i>As per PHE sample and drawing</i>	each	200		
97	1/2" Valve box key with 3 points	<i>As per PHE sample and drawing</i>	each	200		
98	GI threaded single Flange 2"		each	265	337	
99	110 mm PVC Socket		each	95	79	
100	110 mm PVC Door Bend		each	145	129	
101	200 mm PVC pipe		each			
102	110 mm PVC Pipe		mtr	191	175	
103	100 mm PVC pipe 3m long		pc		525	
104	110 mm PVC pipe 3m long		pc	570	525	
105	Creosite oil	<i>IS-120-1983 Strong leak proof container of one litre can.</i>	ltr			
106	Bag jute	<i>24" x40" hessian jute 10 OZ</i>	each	110		
107	MS holding down bolts 16mmx300mm	<i>Kg (SANGAY ENTERPRISE)</i>	each	115	145	

Sl/NO.	DESCRIPTION	DETAILED SPECIFICATION	UNIT	K.Norkhel Supplies, P/kha	Sangay sales, Thimphu	Remarks
108	MS holding down bolts 12mmx150mm	Kg	each	115	145	
109	MS holding down bolts 12mmx260mm	Kg	each	115	145	
110	MS holding down bolts 12mmx260mm with washer		kg	115	145	
111	Bulldog grip 13mm	IS 2361:1994	each	35		
112	Wire rope cable 13mm,		mtr	120		
113	Pipe joining compound in 1/2 kg pot	Graphite pipe-joining compound for drinking water purpose. Re-sealable pots.	can	180		
114	Doorbolt 10" set		set	190	125	
115	Tower bolt 6"		each	35	35	
116	Doorbolt 8" set		set	175	110	
117	MS Tower bolt 200mm		each	75	95	
118	GI Tower bolt 200mm		each	75		
119	Sliding Door bolt, 300mm long		set	225	165	
120	Grease, in 1/2 kg pot	1/2 kg bundle packed in plastic	pot	175	210	
121	Hemp	IS 508:1987 Wheel bearing grease, resealable pots	bundle			
122	Hinges 4"	IS 5414:1995 1/2kg bundles packed in plastic.	each	18	25	
123	Hinges 3"	IS 5414:1995 1/2kg bundles packed in plastic.	each	12	15	
124	Hinges 5"	IS 5414:1995 1/2kg bundles packed in plastic.	each	35	40	
125	20 ltr jerry can		can	265	275	
126	L-Hooks 75mm		kg	145	160	
127	J-Hooks		pc	145	160	
128	Lock and key (2")	Heavy Duty, with 3 keys.	each	65		
129	Lock and key (1 1/2")	Heavy Duty, with 3 keys.	each	50		

SI/NO.	DESCRIPTION	DETAILED SPECIFICATION	UNIT	K.Norkhel Supplies, P/kha	Sangay sales, Thimphu	Remarks
130	Nails 1"	<i>Galvanised wire nails sharpened</i>	kg	68	66	
131	Nails 3"	<i>Galvanised wire nails sharpened</i>	kg	68	66	
132	Nails 2"	<i>Galvanised wire nails sharpened</i>	kg	68	66	
133	Nail 1.5"	<i>Galvanised wire nails sharpened</i>	kg	68	66	
134	Nails - U	<i>8 SWG H=35 mm, W=10 mm Sharpened</i>	kg	89	95	
135	Nails 4"	<i>Galvanised wire nails sharpened</i>	kg	68	66	
136	Nails 5"	<i>Galvanised wire nails sharpened</i>	kg	68	66	
137	Nails 1/2"	<i>Galvanised wire nails sharpened</i>	kg	68		
138	Nails 6"	<i>Galvanised wire nails sharpened</i>	kg	68	66	
139	Roofing Screw 2 1/2"		kg	120	130	
140	Roofing Screw 2"		kg	120	130	
141	Roofing Screw 1" (200pcs)		pkt	300		
142	Roofing Screw 3"		kg	120	130	
143	Oil pressure can		pc	800		
144	Concrete primer in one ltr. Can.		ltr	90	100	
145	Paint, white enamel in one ltr. Can		ltr	190	167	
146	Pink primer paint in 1/2 ltr.		ltr	65	86	
147	Synthetic enamel paint in 1/2 ltr.		ltr	110	88	
148	Thinner in one ltr. Can		ltr	70	75	
149	White primer paint		ltr	170	151	
150	Prefab manhole cover & slab	<i>As per PHE drawing & specification</i>	set	1365		
151	Perforated GI plate	<i>As per PHE drawing & specification</i>	set			
152	Moveable slab handles		each			
153	Ferro Cement Slab 65mm		pc			
154	Rebar 6mm	<i>TATA steel bars, IS : 1786/1985, Grade FE415, TOR</i>	kg	60	68	

SI/NO.	DESCRIPTION	DETAILED SPECIFICATION	UNIT	K.Norkhel Supplies, P/kha	Sangay sales, Thimphu	Remarks
155	Rebar 8mm	TATA steel bars, IS : 1786/1985, Grade FE415, TOR	kg	60	59	
156	Rebar 10mm	TATA steel bars, IS : 1786/1985, Grade FE415, TOR	kg	60	59	
157	Rebar 12mm	TATA steel bars, IS : 1786/1985, Grade FE415, TOR	kg	60	59	
158	Rebar 16mm	TATA steel bars, IS : 1786/1985, Grade FE415, TOR	kg	60	59	
159	Rebar 20mm	TATA steel bars, IS : 1786/1985, Grade FE415, TOR	kg	60	59	
160	M.S. Plain rod 6mm	TATA steel bars, IS : 1786/1985, Grade FE415, Plain	kg	70	68	
161	Sand paper		pc	4	5	
162	Screw, wood 2"	Tata steel bars, IS :1786/1985 Ggrade FE415, TOR	pkt	75	95	
163	Screw, wood 3"		pkt	115	145	
164	Screw, Iron wood 20 x 5mm		each	55		
165	Screw, Iron wood 20 x 6mm		each	55	45	
166	Screw, Iron wood 25mm, 140/pkt		each	65	60	
167	Screw, Iron wood 35mm, 140/pkt		pkt	70	50	
168	Screw, wood 1 1/2"		each	80	50	
169	Aluminium screw 1" (200 pcs)		pkt	375		
170	2.5 ' x 10 ' CGI sheets	IS 277:1992 (Supplier to provide correct dimensions, wt & brand)	sheet	1029	1057	
171	2440mm x 840mm x 0.63mm CGI sheets	IS 277:1992. Galvanise coating = 120g/m2. Wt.=10.71kg.	sheet		822	
172	2135mm x 840mmx 0.63mm CGI sheets	IS 277:1992. Galvanise coating = 120g/m2. Wt.=10.71kg.	sheet		740	
173	2.5 ' x 6 ' CGI sheets	IS 277:1992. Galvanise coating = 120g/m2. Wt.=10.71kg.	sheet	600	617	

Sl/NO.	DESCRIPTION	DETAILED SPECIFICATION	UNIT	K.Norkhel Supplies, P/kha	Sangay sales, Thimphu	Remarks
174	2.5 ' x 9 ' CGI sheets	IS 277:1992. Galvanise coating = 120g/m2. Wt.=10.71kg.	sheet	900	925	
175	Hessian jute	7.5 oz width 90cm, In roll of 30 meter.	mtr	45	75	
176	Plastic sheet thin	Thickness 0.0625 mm Width 90 cm, double sheet. In roll of 30 meter.	mtr	65	90	
177	Plastic sheet for spring protection	Thickness 0.125 mm, Width 90 cm, double sheet. In rolls of 25 meter	mtr	65		
178	Thimble, 13mm		each			
179	Washer, Limpet 100/pkt		pkt	110	100	
180	Bitumen washer, 200/pkt		pkt	15	20	
181	Barbed wire	Gauge 12 SWG double wired, double barbed 90 degrees angle, every 10 cm, galvanized (IS: 278/1969). In roll of 30 kg weight tolerance +3 kg, -0 kg	roll	2280	2070	
182	Wire, GI binding	Gauge 22 SWG. In roll of 1kg	kg	92	110	
183	Wire Mesh 2mm	2.5 square opening. In roll of 20m.	mtr	190		
184	Wire, mesh chicken	23 SWG, hexagonal 15 mm, 11/2" full twist, double string at side, width 1 metre. in rolls of 25 m	mtr	60	120	
185	Wire, Plain Gauge	8 SWG with light galvanized coating. In rolls of 40 kg, weight tolerance of +3 kg, -0 kg.	kg	82	120	
186	Wire , Black Binding	gauge 8SWG with light galvanised coating. In rolls of 40kg, wt tolerance of +3kg, -0kg.	kg	90	99	
187	Wire, welded mesh, 3" x 1"		sft	33		
188	Aluminium screen (1.5 x 1.5 mm)		each			
189	PGI Ridging 6'x18'		pc	280	375	

SI/NO.	DESCRIPTION	DETAILED SPECIFICATION	UNIT	K.Norkhel Supplies, P/kha	Sangay sales, Thimphu	Remarks
190	PGI Sheet 24SWG		kg	199		
191	Fibre glass WC pan with P trap		set			
192	Foot rests		pair	115		
193	Door handle 4"		each	30	25	
194	Anodized Alu. Handle 150mm		each	30	40	
195	Anodized Alu. Latch		pc	35		
196	Iron bow handle 150mm		pc			
197	Anodized alu. Sliding bolts 300mm		set	389	165	
198	Anodized alu. Tower bolts 200mm		each	350	95	
199	Anodized alu. Tower bolts 150mm		each	48	60	
200	Anodized alu. Handles 100mm		each	25	40	
201	Anodized alu. Hooks & eyes 20mm		each	40		
202	Ms flat vent pipe clamp (25x2 mm)		each	150		
203	Ms flat for clamps (25x 4 mm)		kg	68		
204	U-shape clamps (10 mm)		pc	180		
205	Ms flat for clamps (24x 4 mm)		kg	68		
206	M.S. Form work VIDP latrine		pc			
207	M.S. Round frame 25x3mm		pc			
208	Defection hole form work		pc			
209	Blade, hacksaw single side	IS 2594:1976	each	6	10	
210	Blade, hacksaw double side	IS 2594:1976	each	12	15	
211	Steel wire brush		each	50	60	
212	Brush,paint 4"	standard quality, nylon	each	65	60	
213	Brush,paint 2"	standard quality, nylon	each	30	30	

SI/NO.	DESCRIPTION	DETAILED SPECIFICATION	UNIT	K.Norkhel Supplies, P/kha	Sangay sales, Thimphu	Remarks
214	Brush,paint 3"	<i>standard quality, nylon</i>	each	50	50	
215	Brush lime 5"	<i>standard quality, nylon</i>	each	145	60	
216	Stone chisel 1"		each	390	525	
217	Stone chisel 1/2 "		each	150	525	
218	Crowbar 3/4" x 54"		each	745	975	
219	Crowbar 32mm		each	995	1475	
220	File, flat, steel, 10 "		each	265	227	
221	File, half round, steel, 10 "		each	360	480	
222	Hacksaw frame	<i>Adjustable for 10" /12" blades</i>	each	160	160	
223	Hammer, Mason 1/2 kg		each	290		
224	Hammer, sledge 1 kg		each	165	130	
225	Headpan 18 "		each	120		
226	Heating Plate,	<i>As per sample, round dia 125 mm, thickness 12mm, handle 420m with insulating grip, Brand: Deek's Firefly</i>	each	1150		
227	Line, mason's.	<i>100g per roll</i>	bundle	45	60	
228	Pickaxe Standard size		each	290	425	
229	Pliers 8 "	<i>IS 273:1990</i>	each	220	257	
230	Shoval		each	270	350	
231	Blow torch		each	1250		
232	Measuring tape	<i>metal 5 mtr length Scale in cm & inches</i>	each	150	137	
233	Measuring tape	<i>fibre white 50 mtr length Scale in cm & inches</i>	each	560	475	
234	Measuring tape	<i>fibre white 15 mtr length Scale in cm & inches</i>	each	290	145	
235	Teflon cover.	<i>For 125 mm heating plate</i>	each	200		
236	Thermochrome crayon	<i>Indicating 200 °C Import quality, Approved brands: Faber Castell(Indian made)</i>	each	250		
237	Tin cutter		each	345	175	

SI/NO.	DESCRIPTION	DETAILED SPECIFICATION	UNIT	K.Norkhel Supplies, P/kha	Sangay sales, Thimphu	Remarks
238	RWSS Caretaker tool box.	<i>As per PHE sample, 60x20x18 cm gauge 19 SWG, painted, double hinge with reinforcement on inside,</i>	each	950		
239	Plumber tool box	<i>with complete tools sets</i>	set	4800		
240	Mason tool box	<i>with complete tools sets</i>	set	4800		
241	Trowel, masonry 2 " x 5 "		each	75		
242	Trowel, masonry 4 " x 8 "		each	95		
243	Wrench, pipe 12 "	<i>Supplier to provide complete specification</i>	each	345	387	
244	Pipe chain vice 4"		each		1346	
245	Pipe chain vice 3"		each		975	
246	Vice 3" (Bench)		each		1711	
247	Wrench, pipe 36 "	<i>Supplier to provide complete specification</i>	each	2050	2316	
248	Wrench, pipe 24 "	<i>Supplier to provide complete specification</i>	each	1047	1123	
249	Wrench, pipe 18 "	<i>Supplier to provide complete specification</i>	each	577	618	
250	Wrench, pipe 14 "	<i>Supplier to provide complete specification</i>	each	325	348	
251	Wrench slide 15"	<i>Supplier to provide complete specification</i>	each			
252	Pipe bending machine		set			
253	Portable vice set		set	2500		
254	Rached die set 1 1/4" to 2"			6500	5520	
255	Rached die set 1/2" to 1"			2450	2760	
256	Die set 2" to 3"		set		7935	
257	Die set 1 1/4" to 2"		set		5520	
258	Die set 1/2" to 1"		set		2760	
259	Die bit 2"		pair		412	
260	Die bit 1 1/2"		pair		412	
261	Die bit 1"		pair		146	
262	Die bit 1/2"		pair		146	
263	Die bit 3"		pair		1260	

SI/NO.	DESCRIPTION	DETAILED SPECIFICATION	UNIT	K.Norkhel Supplies, P/kha	Sangay sales, Thimphu	Remarks
264	Die bush 3"		each		300	
265	Die bush 2"		each		168	
266	Die bush 1"		each		78	
267	Pipe cutter 2" to 4"		set	5000		
268	Pipe cutter 1/8" to 2"		set	5000		
269	Pipe cutter 1/2" to 2"		set	5000		
270	Pipe cutter with wheel 3"		set		2575	
271	Pipe cutter wheel 4"		each		4436	
272	Pipe cutter wheel 2"		each		1429	
273	CI manhole cover 500 x 500mm	<i>as per the attached PHE drawing & specification.</i>	each	2800		
274	CI floor trap 100mm		each			
275	MS strap 300 x 25 x 2mm		each	68		
276	MS strap 125 x 20 x 3mm		each	68		
277	HDP Sintex tank 500 litres capacity		set	3500	3250	
278	HDP Sintex tank 3000 litres capacity		set	22700	19500	
279	HDP Sintex tank 2000 litres capacity		set	14500	13000	
280	HDP Sintex tank 1000 litres capacity		set	7300	6500	
281	White washing, lime in 15 kg/tin		tin	420	690	
282	Animal glue in 1 kg/pkt.		pkt		150	
283	Sloted angle steel rack 72" x 24"		each			
284	Steel door as per PHE drawing.		each			
285	Steel bib cock 1/2"		each	500	530	

SI/NO.	DESCRIPTION	DETAILED SPECIFICATION	UNIT	K.Norkhel Supplies, P/kha	Sangay sales, Thimphu	Remarks
286	Robin Blue 400/500 gm		pkt	90		
287	Electrical power pump, 100m Head, 12hp, Inlet=50mm & outlet=50mm		set	59000		
288	Diesel stove, double burner		set			
289	CP shower head 15mm		each	377	372	
290	CP stop cock 1/2"		each	477	499	
291	MS Nuts & Bolts 8mm		each	115	140	
292	Red pigment		kg		120	
293	Tube light 4'x 40 watt		set	295	280	
294	Bulbs 100 watt		each	14	15	
295	Socket switch comb. Gang box 16A		each	140	138	
296	Angle baten holder 5A		each	30	28	
297	Single pole switch 5A		each	18	17	
298	Ceiling rose PVC 5A		each	20	28	
299	Miniature circuit breaker (MCB) 6A		each	170	110	
300	Miniature circuit breaker (MCB) 16A		each	170	110	
301	PVC conductor cable 1.5 sqm short point		roll	1100		
302	PVC conductor cable 1.5 sqm medium point		roll	1100		
303	PVC conductor cable 1.5 sqm long point		roll	1100		
304	PVC insulated copper conductor cable 2 x 2.5 sqm		each	1800	6985	

SI/NO.	DESCRIPTION	DETAILED SPECIFICATION	UNIT	K.Norkhel Supplies, P/kha	Sangay sales, Thimphu	Remarks
305	PVC insulated copper conductor cable 2 x 4 sqm 1.1 KV		each	2900	10930	
<i>Section VI: Schedule of Supply</i>						
306	TPRN 12 way without gong & busber N.link		each	5700		
307	Fuse unit metal clade HRC type 63A, 415 V		each	4500	2975	
308	Busber chamber 63A, 415 V		each	2500	3170	
309	GI plate 600 x 600 x 6mm (Earthing plate)		each	950	1275	
310	Cover plate with locking arrangement		each	3000		
311	MS wall plate 3mm thick, 100 x 75mm long		each	700		
312	MS plate 6 x 5mm		kg	68	71	
313	Stone ware pipe 100mm, Standard length		each	1000		
314	Glass panes 3mm		sqm	450	3636	
315	Plyboard 4mm 8' x 4'		each	350	322	
316	Bitumen maxphalt 80/100		sqm	15000		
317	M.S. plate 60 x 60 x 5mm		each	68/kg	71	
318	M.S.Tower bolt 10"		each	95		
319	2.5 sq.mm Power cable (1.1kV) 2- Core Copper -Armoured, PVC insulated & sheathed		m	165		
320	Electric Water Heater. 100 litres, vertical		each	30000	18140	
321	Flexible Pipe 1"	Best Quality	roll	1400	1100	

SI/NO.	DESCRIPTION	DETAILED SPECIFICATION	UNIT	K.Norkhel Supplies, P/kha	Sangay sales, Thimphu	Remarks
322	Flexible Pipe 3/4"	Best Quality	roll	950	800	
323	Flexible Pipe 1/2"	Best Quality	roll	500	600	